




## CREATIVE SOUND SOLUTIONS

CRITON 2TO-X CSS LO25X + LOW7

07 - JANUARY - 2021










## NOTES:

- USES CSS LD25X TWEETER AND CSS LDW7 MIDWOOFER
- DRAWN WITH  $\frac{3}{4}$ " [19.05MM] MATERIAL. QUALITY PLYWOOD OR MDF RECOMMENDED
- LINE WALLS WITH FIBERGLASS, WOOL, OR COTTON FELT CHAMFER OR ROUND-OVER THE BACK OF LDW7 BAFFLE CUT OUT

CRITON 2TD-X DIMENSIONS 07-JANUARY-2021 DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM © 2017-18 CREATIVE SOUND SOLUTIONS, LCC






1) DRAWN WITH ¾" [19.05MM] MATERIAL. QUALITY PLYWOOD OR MDF RECOMMENDED




CRITON 2TD-X BRACE DIMENSIONS 07-JANUARY-2021 DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM © 2017-18 CREATIVE SOUND SOLUTIONS, LCC






CRITON 2TD-X CROSSOVER
07-JANUARY-2021
DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM
© 2017-18 CREATIVE SOUND SOLUTIONS, LCC



## NOTES:


- 1) 6' X 4' SUGGESTED CUT OUT.  $\frac{3}{4}$ " [19.05MM] QUALITY PLYWOOD OR MDF RECOMMENDED
- ¼" [6.4mm] TRIM AND KERF BEFORE CUTTING MEASURE THE ACTUAL MATERIAL'S THICKNESS AND ADJUST PANEL SIZES AS REQUIRED

CRITON 2TD-X SUGGESTED CUT 6' X 4' 07-JANUARY-2021 DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM © 2017-18 CREATIVE SOUND SOLUTIONS, LCC





CSS LD25X TWEETER DIMENSIONS 07-JANUARY-2021 DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM © 2017-18 CREATIVE SOUND SOLUTIONS, LCC





CSS LDW7 MIDWOOFER DIMENSIONS 07-JANUARY-2021 DESIGNED BY D POINSETT/K ARMES | DRAWN BY MM © 2017-18 CREATIVE SOUND SOLUTIONS, LCC