

Superes Resistors - 5 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-0001	0,10	0,002	SUPERES 0,10 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0002	0,12	0,002	SUPERES 0,12 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0003	0,15	0,002	SUPERES 0,15 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0004	0,18	0,002	SUPERES 0,18 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0005	0,22	0,002	SUPERES 0,22 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0006	0,27	0,002	SUPERES 0,27 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0007	0,33	0,002	SUPERES 0,33 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0008	0,36	0,002	SUPERES 0,36 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0009	0,39	0,002	SUPERES 0,39 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0010	0,47	0,002	SUPERES 0,47 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0013	0,51	0,002	SUPERES 0,51 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0016	0,56	0,002	SUPERES 0,56 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0019	0,62	0,002	SUPERES 0,62 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0022	0,68	0,002	SUPERES 0,68 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0025	0,75	0,002	SUPERES 0,75 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0028	0,82	0,002	SUPERES 0,82 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0031	0,91	0,002	SUPERES 0,91 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0034	1,00	0,002	SUPERES 1,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0037	1,10	0,002	SUPERES 1,10 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0040	1,20	0,002	SUPERES 1,20 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0043	1,30	0,002	SUPERES 1,30 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0046	1,50	0,002	SUPERES 1,50 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof

Superes Resistors - 5 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-0049	1,60	0,002	SUPERES 1,60 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0052	1,80	0,002	SUPERES 1,80 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0055	2,00	0,002	SUPERES 2,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0058	2,20	0,002	SUPERES 2,20 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0061	2,40	0,002	SUPERES 2,40 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0064	2,70	0,002	SUPERES 2,70 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0067	3,00	0,002	SUPERES 3,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0070	3,30	0,002	SUPERES 3,30 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0073	3,60	0,002	SUPERES 3,60 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0076	3,90	0,002	SUPERES 3,90 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0079	4,30	0,002	SUPERES 4,30 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0082	4,70	0,002	SUPERES 4,70 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0085	5,10	0,002	SUPERES 5,10 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0088	5,60	0,002	SUPERES 5,60 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0091	6,20	0,002	SUPERES 6,20 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0094	6,80	0,002	SUPERES 6,80 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0097	7,50	0,002	SUPERES 7,50 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0100	8,20	0,002	SUPERES 8,20 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0103	9,10	0,002	SUPERES 9,10 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0106	10,00	0,002	SUPERES 10,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0109	12,00	0,002	SUPERES 12,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0112	15,00	0,002	SUPERES 15,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0115	18,00	0,002	SUPERES 18,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof

Superes Resistors - 5 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-0118	22,00	0,002	SUPERES 22,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0121	27,00	0,002	SUPERES 27,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0124	33,00	0,002	SUPERES 33,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125036	36,00	0,002	SUPERES 36,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125039	39,00	0,002	SUPERES 39,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125043	43,00	0,002	SUPERES 43,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125047	47,00	0,002	SUPERES 47,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125051	51,00	0,002	SUPERES 51,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125062	62,00	0,002	SUPERES 62,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125068	68,00	0,002	SUPERES 68,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125075	75,00	0,002	SUPERES 75,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125082	82,00	0,002	SUPERES 82,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof
002-0125100	100,00	0,002	SUPERES 100,00 Ω 5W 1% L<1 μ H wire Ty-Ohm dim.6,0/19 flameproof

Superes Resistors - 10 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-012510010	0,10	0,009	SUPERES 0,10Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012510012	0,12	0,009	SUPERES 0,12Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012510015	0,15	0,009	SUPERES 0,15Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012510018	0,18	0,009	SUPERES 0,18Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012510022	0,22	0,009	SUPERES 0,22Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012510027	0,27	0,009	SUPERES 0,27Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0126	0,33	0,009	SUPERES 0,33Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012636	0,36	0,009	SUPERES 0,36Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-012639	0,39	0,009	SUPERES 0,39Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0127	0,47	0,009	SUPERES 0,47Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0130	0,51	0,009	SUPERES 0,51Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0133	0,56	0,009	SUPERES 0,56Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0136	0,62	0,009	SUPERES 0,62Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0139	0,68	0,009	SUPERES 0,68Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0142	0,75	0,009	SUPERES 0,75Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0145	0,82	0,009	SUPERES 0,82Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0148	0,91	0,009	SUPERES 0,91Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0151	1,00	0,009	SUPERES 1,00Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0154	1,10	0,009	SUPERES 1,10Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0157	1,20	0,009	SUPERES 1,20Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0160	1,30	0,009	SUPERES 1,30Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0163	1,50	0,009	SUPERES 1,50Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof
002-0166	1,60	0,009	SUPERES 1,60Ω 10W 1% L<1μH wire Ty-Ohm dim.8,5/53 flameproof

Superes Resistors - 10 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-0169	1,80	0,009	SUPERES 1,80 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0172	2,00	0,009	SUPERES 2,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0175	2,20	0,009	SUPERES 2,20 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0178	2,40	0,009	SUPERES 2,40 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0181	2,70	0,009	SUPERES 2,70 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0184	3,00	0,009	SUPERES 3,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0187	3,30	0,009	SUPERES 3,30 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0190	3,60	0,009	SUPERES 3,60 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0193	3,90	0,009	SUPERES 3,90 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0196	4,30	0,009	SUPERES 4,30 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0199	4,70	0,009	SUPERES 4,70 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0202	5,10	0,009	SUPERES 5,10 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0205	5,60	0,009	SUPERES 5,60 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0208	6,20	0,009	SUPERES 6,20 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0211	6,80	0,009	SUPERES 6,80 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0214	7,50	0,009	SUPERES 7,50 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0217	8,20	0,009	SUPERES 8,20 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0220	9,10	0,009	SUPERES 9,10 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0223	10,00	0,009	SUPERES 10,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0226	12,00	0,009	SUPERES 12,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0229	15,00	0,009	SUPERES 15,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0232	18,00	0,009	SUPERES 18,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0235	22,00	0,009	SUPERES 22,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof

Superes Resistors - 10 Watt

Sorted by Ohm

Index	[Ω]	Weight (kg)	Full information string
002-0238	27,00	0,009	SUPERES 27,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0241	33,00	0,009	SUPERES 33,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242036	36,00	0,009	SUPERES 36,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242039	39,00	0,009	SUPERES 39,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242043	43,00	0,009	SUPERES 43,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242047	47,00	0,009	SUPERES 47,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242051	51,00	0,009	SUPERES 51,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242056	56,00	0,009	SUPERES 56,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242062	62,00	0,009	SUPERES 62,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242068	68,00	0,009	SUPERES 68,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242075	75,00	0,009	SUPERES 75,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242082	82,00	0,009	SUPERES 82,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof
002-0242100	100,00	0,009	SUPERES 100,00 Ω 10W 1% L<1 μ H wire Ty-Ohm dim.8,5/53 flameproof