

# JANTZEN AUDIO

## All Capacitors - Data and Size comparison

Index	Description	Type	Capacity [ $\mu$ F]	Tolerance (+/-)	Voltage Rating DC	Voltage Rating AC	Outer Diameter [mm]	Length [mm]	Weight [kg]
001-0200	Jantzen Cross Cap 0,10 $\mu$ F 400VDC 5% MKP dia-7 / 18mm. hor.	MKP (Polypropylene foil)	0.10	5%	400	250	7	18	0.001
001-0202	Jantzen Cross Cap 0,12 $\mu$ F 400VDC 5% MKP dia-7 / 18mm. hor.	MKP (Polypropylene foil)	0.12	5%	400	250	7	18	0.002
001-0204	Jantzen Cross Cap 0,15 $\mu$ F 400VDC 5% MKP dia-8 / 19mm. hor.	MKP (Polypropylene foil)	0.15	5%	400	250	8	19	0.002
001-0206	Jantzen Cross Cap 0,18 $\mu$ F 400VDC 5% MKP dia-8 / 19mm. hor.	MKP (Polypropylene foil)	0.18	5%	400	250	8	19	0.002
001-0208	Jantzen Cross Cap 0,22 $\mu$ F 400VDC 5% MKP dia-9 / 19mm. hor.	MKP (Polypropylene foil)	0.22	5%	400	250	9	19	0.002
001-0210	Jantzen Cross Cap 0,27 $\mu$ F 400VDC 5% MKP dia-9 / 19mm. hor.	MKP (Polypropylene foil)	0.27	5%	400	250	9	19	0.002
001-0212	Jantzen Cross Cap 0,30 $\mu$ F 400VDC 5% MKP dia-9 / 19mm. hor.	MKP (Polypropylene foil)	0.30	5%	400	250	9	19	0.002
001-0214	Jantzen Cross Cap 0,33 $\mu$ F 400VDC 5% MKP dia-9 / 25mm. hor.	MKP (Polypropylene foil)	0.33	5%	400	250	9	25	0.002
001-0216	Jantzen Cross Cap 0,39 $\mu$ F 400VDC 5% MKP dia-9 / 25mm. hor.	MKP (Polypropylene foil)	0.39	5%	400	250	9	25	0.002
001-0218	Jantzen Cross Cap 0,43 $\mu$ F 400VDC 5% MKP dia-10 / 25mm. hor.	MKP (Polypropylene foil)	0.43	5%	400	250	10	25	0.003
001-0220	Jantzen Cross Cap 0,47 $\mu$ F 400VDC 5% MKP dia-10 / 25mm. hor.	MKP (Polypropylene foil)	0.47	5%	400	250	10	25	0.003
001-0222	Jantzen Cross Cap 0,51 $\mu$ F 400VDC 5% MKP dia-10 / 25mm. hor.	MKP (Polypropylene foil)	0.51	5%	400	250	10	25	0.003
001-0224	Jantzen Cross Cap 0,56 $\mu$ F 400VDC 5% MKP dia-11 / 25mm. hor.	MKP (Polypropylene foil)	0.56	5%	400	250	11	25	0.003
001-0226	Jantzen Cross Cap 0,68 $\mu$ F 400VDC 5% MKP dia-11 / 25mm. hor.	MKP (Polypropylene foil)	0.68	5%	400	250	11	25	0.003
001-0228	Jantzen Cross Cap 0,82 $\mu$ F 400VDC 5% MKP dia-12 / 25mm. hor.	MKP (Polypropylene foil)	0.82	5%	400	250	12	25	0.003
001-0230	Jantzen Cross Cap 1,00 $\mu$ F 400VDC 5% MKP dia-11 / 31mm. hor.	MKP (Polypropylene foil)	1.00	5%	400	250	11	31	0.003
001-0232	Jantzen Cross Cap 1,10 $\mu$ F 400VDC 5% MKP dia-12 / 31mm. hor.	MKP (Polypropylene foil)	1.10	5%	400	250	12	31	0.003
001-0234	Jantzen Cross Cap 1,20 $\mu$ F 400VDC 5% MKP dia-12 / 31mm. hor.	MKP (Polypropylene foil)	1.20	5%	400	250	12	31	0.003
001-0236	Jantzen Cross Cap 1,50 $\mu$ F 400VDC 5% MKP dia-14 / 31mm. hor.	MKP (Polypropylene foil)	1.50	5%	400	250	14	31	0.005
001-02366	Jantzen Cross Cap 1,60 $\mu$ F 400VDC 5% MKP dia-14 / 31mm. hor.	MKP (Polypropylene foil)	1.60	5%	400	250	14	31	0.005
001-0237	Jantzen Cross Cap 1,80 $\mu$ F 400VDC 5% MKP dia-15 / 31mm. hor.	MKP (Polypropylene foil)	1.80	5%	400	250	15	31	0.005
001-02372	Jantzen Cross Cap 2,00 $\mu$ F 400VDC 5% MKP dia-16 / 31mm. hor.	MKP (Polypropylene foil)	2.00	5%	400	250	16	31	0.005
001-0238	Jantzen Cross Cap 2,20 $\mu$ F 400VDC 5% MKP dia-15 / 36mm. hor.	MKP (Polypropylene foil)	2.20	5%	400	250	15	36	0.005
001-0239	Jantzen Cross Cap 2,40 $\mu$ F 400VDC 5% MKP dia-15 / 25mm. hor.	MKP (Polypropylene foil)	2.40	5%	400	250	15	25	0.005
001-0240	Jantzen Cross Cap 2,70 $\mu$ F 400VDC 5% MKP dia-17 / 36mm. hor.	MKP (Polypropylene foil)	2.70	5%	400	250	17	36	0.006
001-0241	Jantzen Cross Cap 3,00 $\mu$ F 400VDC 5% MKP dia-18 / 36mm. hor.	MKP (Polypropylene foil)	3.00	5%	400	250	18	36	0.008
001-0242	Jantzen Cross Cap 3,30 $\mu$ F 400VDC 5% MKP dia-18 / 36mm. hor.	MKP (Polypropylene foil)	3.30	5%	400	250	18	36	0.008
001-0244	Jantzen Cross Cap 3,60 $\mu$ F 400VDC 5% MKP dia-19 / 36mm. hor.	MKP (Polypropylene foil)	3.60	5%	400	250	19	36	0.009
001-0246	Jantzen Cross Cap 3,90 $\mu$ F 400VDC 5% MKP dia-17 / 36mm. hor.	MKP (Polypropylene foil)	3.90	5%	400	250	17	36	0.009
001-0247	Jantzen Cross Cap 4,10 $\mu$ F 400VDC 5% MKP dia-19 / 36mm. hor.	MKP (Polypropylene foil)	4.10	5%	400	250	19	36	0.010
001-0248	Jantzen Cross Cap 4,30 $\mu$ F 400VDC 5% MKP dia-19 / 36mm. hor.	MKP (Polypropylene foil)	4.30	5%	400	250	19	36	0.010
001-0249	Jantzen Cross Cap 4,50 $\mu$ F 400VDC 5% MKP dia-19 / 36mm. hor.	MKP (Polypropylene foil)	4.50	5%	400	250	19	36	0.010
001-0250	Jantzen Cross Cap 4,70 $\mu$ F 400VDC 5% MKP dia-18 / 36mm. hor.	MKP (Polypropylene foil)	4.70	5%	400	250	19	36	0.010
001-0252	Jantzen Cross Cap 5,10 $\mu$ F 400VDC 5% MKP dia-20 / 36mm. hor.	MKP (Polypropylene foil)	5.10	5%	400	250	20	36	0.012
001-0253	Jantzen Cross Cap 5,40 $\mu$ F 400VDC 5% MKP dia-21 / 36mm. hor.	MKP (Polypropylene foil)	5.40	5%	400	250	21	36	0.013
001-0254	Jantzen Cross Cap 5,60 $\mu$ F 400VDC 5% MKP dia-21 / 36mm. hor.	MKP (Polypropylene foil)	5.60	5%	400	250	21	36	0.013
001-0256	Jantzen Cross Cap 6,20 $\mu$ F 400VDC 5% MKP dia-21 / 36mm. hor.	MKP (Polypropylene foil)	6.20	5%	400	250	21	36	0.013
001-0258	Jantzen Cross Cap 6,80 $\mu$ F 400VDC 5% MKP dia-22 / 36mm. hor.	MKP (Polypropylene foil)	6.80	5%	400	250	22	36	0.014
001-0260	Jantzen Cross Cap 7,50 $\mu$ F 400VDC 5% MKP dia-23 / 36mm. hor.	MKP (Polypropylene foil)	7.50	5%	400	250	23	36	0.016
001-0262	Jantzen Cross Cap 8,20 $\mu$ F 400VDC 5% MKP dia-24 / 36mm. hor.	MKP (Polypropylene foil)	8.20	5%	400	250	24	36	0.016
001-0263	Jantzen Cross Cap 9,10 $\mu$ F 400VDC 5% MKP dia-24 / 36mm. hor.	MKP (Polypropylene foil)	9.10	5%	400	250	24	36	0.016
001-0264	Jantzen Cross Cap 10,00 $\mu$ F 400VDC 5% MKP dia-26 / 36mm. hor.	MKP (Polypropylene foil)	10.00	5%	400	250	26	36	0.020
001-0266	Jantzen Cross Cap 12,00 $\mu$ F 400VDC 5% MKP dia-26 / 44mm. hor.	MKP (Polypropylene foil)	12.00	5%	400	250	26	44	0.025
001-0268	Jantzen Cross Cap 15,00 $\mu$ F 400VDC 5% MKP dia-29 / 44mm. hor.	MKP (Polypropylene foil)	15.00	5%	400	250	29	44	0.029
001-0269	Jantzen Cross Cap 16,00 $\mu$ F 400VDC 5% MKP dia-29 / 44mm. hor.	MKP (Polypropylene foil)	16.00	5%	400	250	29	44	0.029
001-0270	Jantzen Cross Cap 18,00 $\mu$ F 400VDC 5% MKP dia-31 / 44mm. hor.	MKP (Polypropylene foil)	18.00	5%	400	250	31	44	0.034
001-0271	Jantzen Cross Cap 20,00 $\mu$ F 400VDC 5% MKP dia-31 / 44mm. hor.	MKP (Polypropylene foil)	20.00	5%	400	250	31	44	0.034
001-0272	Jantzen Cross Cap 22,00 $\mu$ F 400VDC 5% MKP dia-34 / 44mm. hor.	MKP (Polypropylene foil)	22.00	5%	400	250	34	44	0.040
001-0273	Jantzen Cross Cap 25,00 $\mu$ F 400VDC 5% MKP dia-32 / 56mm. hor.	MKP (Polypropylene foil)	25.00	5%	400	250	32	56	0.048
001-0274	Jantzen Cross Cap 27,00 $\mu$ F 400VDC 5% MKP dia-33 / 56mm. hor.	MKP (Polypropylene foil)	27.00	5%	400	250	33	56	0.048
001-0276	Jantzen Cross Cap 30,00 $\mu$ F 400VDC 5% MKP dia-33 / 56mm. hor.	MKP (Polypropylene foil)	30.00	5%	400	250	33	56	0.055
001-0278	Jantzen Cross Cap 33,00 $\mu$ F 400VDC 5% MKP dia-36 / 56mm. hor.	MKP (Polypropylene foil)	33.00	5%	400	250	36	56	0.057
001-0279	Jantzen Cross Cap 36,00 $\mu$ F 400VDC 5% MKP dia-38 / 56mm. hor.	MKP (Polypropylene foil)	36.00	5%	400	250	38	56	0.070
001-0280	Jantzen Cross Cap 39,00 $\mu$ F 400VDC 5% MKP dia-39 / 56mm. hor.	MKP (Polypropylene foil)	39.00	5%	400	250	39	56	0.070
001-0282	Jantzen Cross Cap 47,00 $\mu$ F 400VDC 5% MKP dia-44 / 56mm. hor.	MKP (Polypropylene foil)	47.00	5%	400	250	44	56	0.079
001-0283	Jantzen Cross Cap 51,00 $\mu$ F 400VDC 5% MKP dia-46 / 58mm. hor.	MKP (Polypropylene foil)	56.00	5%	400	250	46	58	0.091
001-0284	Jantzen Cross Cap 56,00 $\mu$ F 400VDC 5% MKP dia-46 / 58mm. hor.	MKP (Polypropylene foil)	56.00	5%	400	250	46	58	0.091
001-0286	Jantzen Cross Cap 68,00 $\mu$ F 400VDC 5% MKP dia-47 / 58mm. hor.	MKP (Polypropylene foil)	68.00	5%	400	250	47	58	0.096
001-0288	Jantzen Cross Cap 82,00 $\mu$ F 400VDC 5% MKP dia-54 / 58mm. hor.	MKP (Polypropylene foil)	82.00	5%	400	250	54	58	0.125
001-0290	Jantzen Cross Cap 100,00 $\mu$ F 400VDC 5% MKP dia-59 / 58mm. hor.	MKP (Polypropylene foil)	100.00	5%	400	250	59	58	0.150
001-0292	Jantzen Cross Cap 120,00 $\mu$ F 400VDC 5% MKP dia-40 / 110mm. hor.	MKP (Polypropylene foil)	120.00	5%	400	250	40	110	0.151
001-0294	Jantzen Cross Cap 150,00 $\mu$ F 400VDC 5% MKP dia-47 / 110mm. hor.	MKP (Polypropylene foil)	150.00	5%	400	250	47	110	0.185
001-0296	Jantzen Cross Cap 220,00 $\mu$ F 400VDC 5% MKP dia-54 / 110mm. hor.	MKP (Polypropylene foil)	220.00	5%	400	250	54	110	0.237
001-0298	Jantzen Cross Cap 270,00 $\mu$ F 400VDC 5% MKP dia-60 / 110mm. hor.	MKP (Polypropylene foil)	270.00	5%	400	250	60	110	0.295
001-0299	Jantzen Cross Cap 300,00 $\mu$ F 400VDC 5% MKP dia-68 / 110mm. hor.	MKP (Polypropylene foil)	300.00	5%	400	250	68	110	0.380
001-0300	Jantzen Cross Cap 330,00 $\mu$ F 400VDC 5% MKP dia-68 / 110mm. hor.	MKP (Polypropylene foil)	330.00	5%	400	250	68	110	0.380
001-0410	Jantzen Standard 2-Cap 1,00 $\mu$ F 400VDC 5% MKP dia-10 / 30mm. hor.	MKP (Polypropylene foil)	1.00	5%	400	250	10	31	0.003
001-0411	Jantzen Standard 2-Cap 1,20 $\mu$ F 400VDC 5% MKP dia-10 / 31mm. hor.	MKP (Polypropylene foil)	1.20	5%	400	250	11	31	0.003
001-0413	Jantzen Standard 2-Cap 1,50 $\mu$ F 400VDC 5% MKP dia-12 / 31mm. hor.	MKP (Polypropylene foil)	1.50	5%	400	250	12	31	0.004
001-0416	Jantzen Standard 2-Cap 1,80 $\mu$ F 400VDC 5% MKP dia-13 / 31mm. hor.	MKP (Polypropylene foil)	1.80	5%	400	250	13	31	0.005



001-1040	Jantzen Premium ELKO 68,00µF 70VDC smooth 5% ELE. BP dia-31 / 51mm	Electrolytic 5%	68.00	5%	70	50	31	51	0.046
001-1042	Jantzen Premium ELKO 82,00µF 70VDC smooth 5% ELE. BP dia-31 / 51mm	Electrolytic 5%	82.00	5%	70	50	31	51	0.054
001-1044	Jantzen Premium ELKO 100,00µF 70VDC smooth 5% ELE. BP dia-31 / 51mm	Electrolytic 5%	100.00	5%	70	50	31	51	0.064
001-4037	Capacitor 2,20µF 160VDC 5% MKT oval I-19/15/9mm. hor.	MKT (Polyester Film)	2.20	5%	160	90	9	19	0.004
001-4040	Capacitor 2,70µF 160VDC 5% MKT oval I-19/15/9mm. hor.	MKT (Polyester Film)	2.70	5%	160	90	9	19	0.004
001-4042	Capacitor 3,30µF 160VDC 5% MKT oval I-25/13/10mm. hor.	MKT (Polyester Film)	3.30	5%	160	90	10	25	0.004
001-4046	Capacitor 3,90µF 160VDC 5% MKT oval I-25/15/10mm. hor.	MKT (Polyester Film)	3.90	5%	160	90	10	25	0.005
001-4050	Capacitor 4,70µF 160VDC 5% MKT oval I-25/16/11mm. hor.	MKT (Polyester Film)	4.70	5%	160	90	11	25	0.006
001-4054	Capacitor 5,60µF 160VDC 5% MKT oval I-25/18/12mm. hor.	MKT (Polyester Film)	5.60	5%	160	90	12	25	0.007
001-4058	Capacitor 6,80µF 160VDC 5% MKT oval I-25/19/13mm. hor.	MKT (Polyester Film)	6.80	5%	160	90	13	25	0.008
001-4062	Capacitor 8,20µF 160VDC 5% MKT oval I-25/20/13mm. hor.	MKT (Polyester Film)	8.20	5%	160	90	13	25	0.010
001-4064	Capacitor 10,00µF 160VDC 5% MKT oval I-25/22/15mm. hor.	MKT (Polyester Film)	10.00	5%	160	90	15	25	0.011
001-4066	Capacitor 12,00µF 160VDC 5% MKT oval I-30/22/15mm. hor.	MKT (Polyester Film)	12.00	5%	160	90	15	30	0.011
001-4067	Capacitor 14,00µF 160VDC 5% MKT oval I-30/24/17mm. hor.	MKT (Polyester Film)	14.00	5%	160	90	17	30	0.016
001-4068	Capacitor 15,00µF 160VDC 5% MKT oval I-30/24/17mm. hor.	MKT (Polyester Film)	15.00	5%	160	90	17	30	0.016
001-4070	Capacitor 18,00µF 160VDC 5% MKT oval I-30/27/19mm. hor.	MKT (Polyester Film)	18.00	5%	160	90	19	30	0.017
001-6005	Electrolytic Cap 1,00µF 100VDC 10% MDL NP dia-8 / 13mm. hor.	Electrolytic 10%	1.00	10%	100	35	8	13	0.002
001-6008	Electrolytic Cap 1,50µF 100VDC 10% NP MDL dia-8 / 18mm. hor.	Electrolytic 10%	1.50	10%	100	35	8	18	0.002
001-6011	Electrolytic Cap 2,20µF 100VDC 10% NP MDL dia-8 / 18mm. hor.	Electrolytic 10%	2.20	10%	100	35	8	18	0.002
001-6014	Electrolytic Cap 2,70µF 100VDC 10% NP MDL dia-8 / 18mm. hor.	Electrolytic 10%	2.70	10%	100	35	8	18	0.002
001-6017	Electrolytic Cap 3,30µF 100VDC 10% NP MDL dia-8 / 18mm. hor.	Electrolytic 10%	3.30	10%	100	35	8	18	0.002
001-6020	Electrolytic Cap 3,90µF 100VDC 10% ELE. MDL dia-8 / 18mm. hor.	Electrolytic 10%	3.90	10%	100	35	8	18	0.002
001-6023	Electrolytic Cap 4,70µF 100VDC 10% NP MDL dia-10 / 19mm. hor.	Electrolytic 10%	4.70	10%	100	35	10	19	0.002
001-6026	Electrolytic Cap 5,60µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	5.60	10%	100	35	10	20	0.002
001-6029	Electrolytic Cap 6,80µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	6.80	10%	100	35	10	20	0.002
001-6032	Electrolytic Cap 8,20µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	8.20	10%	100	35	10	20	0.002
001-6035	Electrolytic Cap 10,00µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	10.00	10%	100	35	10	20	0.002
001-6038	Electrolytic Cap 12,00µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	12.00	10%	100	35	10	20	0.002
001-6041	Electrolytic Cap 15,00µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	15.00	10%	100	35	10	20	0.002
001-6044	Electrolytic Cap 18,00µF 100VDC 10% NP MDL dia-10 / 20mm. hor.	Electrolytic 10%	18.00	10%	100	35	10	20	0.002
001-6047	Electrolytic Cap 22,00µF 100VDC 10% NP MDL dia-10 / 24mm. hor.	Electrolytic 10%	22.00	10%	100	35	10	24	0.003
001-6050	Electrolytic Cap 27,00µF 100VDC 10% NP MDL dia-13 / 27mm. hor.	Electrolytic 10%	27.00	10%	100	35	13	27	0.005
001-6056	Electrolytic Cap 33,00µF 100VDC 10% NP MDL dia-13 / 27mm. hor.	Electrolytic 10%	33.00	10%	100	35	13	27	0.005
001-6059	Electrolytic Cap 39,00µF 100VDC 10% NP MDL dia-13 / 27mm. hor.	Electrolytic 10%	39.00	10%	100	35	13	27	0.005
001-6062	Electrolytic Cap 47,00µF 100VDC 10% NP MDL dia-13 / 27mm. hor.	Electrolytic 10%	47.00	10%	100	35	13	27	0.005
001-6065	Electrolytic Cap 56,00µF 100VDC 10% NP MDL dia-13 / 32mm. hor.	Electrolytic 10%	56.00	10%	100	35	13	32	0.006
001-6068	Electrolytic Cap 68,00µF 100VDC 10% NP MDL dia-13 / 32mm. hor.	Electrolytic 10%	68.00	10%	100	35	13	32	0.006
001-6071	Electrolytic Cap 82,00µF 100VDC 10% NP MDL dia-16 / 33mm. hor.	Electrolytic 10%	82.00	10%	100	35	16	33	0.008
001-6074	Electrolytic Cap 100,00µF 100VDC 10% NP MDL dia-16 / 33mm. hor.	Electrolytic 10%	100.00	10%	100	35	16	33	0.009
001-6074a	Electrolytic Cap 100,00µF 100VDC 10% NP Bennis dia-17 / 28mm. ver.	Electrolytic 10%	100.00	10%	100	35	17		0.009
001-6077	Electrolytic Cap 120,00µF 100VDC 10% NP MDL dia-16 / 34mm. hor.	Electrolytic 10%	120.00	10%	100	35	16	34	0.009
001-6080	Electrolytic Cap 150,00µF 100VDC 10% ELE. NP MDL dia-16 / 34mm. hor.	Electrolytic 10%	150.00	10%	100	35	16	34	0.009
001-6083	Electrolytic Cap 220,00µF 100VDC 10% NP MDL dia-18 / 27mm. hor.	Electrolytic 10%	220.00	10%	100	35	18	27	0.013
001-6086	Electrolytic Cap 270,00µF 100VDC 10% NP MDL dia-22 / 44mm. hor.	Electrolytic 10%	270.00	10%	100	35	22	44	0.019
001-6089	Electrolytic Cap 300,00µF 100VDC 10% NP MDL dia-22 / 44mm. hor.	Electrolytic 10%	300.00	10%	100	35	22	44	0.023
001-6092	Electrolytic Cap 330,00µF 100VDC 10% NP MDL dia-18 / 43mm. hor.	Electrolytic 10%	330.00	10%	100	35	22	44	0.019
001-6095	Electrolytic Cap 560,00µF 100VDC 10% NP MDL dia-22 / 44mm. hor.	Electrolytic 10%	560.00	10%	100	35	22	44	0.022
001-7012	Jantzen Alumen Z-Cap 0,47µF 100VDC 5% PPT dia-17 / 44mm. hor.	Pure aluminum foil	0.47	3%	100	35	17	44	0.024
001-7022	Jantzen Alumen Z-Cap 1,00µF 100VDC 5% PPT dia-22 / 70mm. hor.	Pure aluminum foil	1.00	3%	100	35	22	70	0.024
001-7025	Jantzen Alumen Z-Cap 1,50µF 100VDC 5% PPT dia-26 / 70mm. hor.	Pure aluminum foil	1.50	3%	100	35	26	70	0.024
001-7028	Jantzen Alumen Z-Cap 2,20µF 100VDC 5% PPT dia-22 / 80mm. hor.	Pure aluminum foil	2.20	3%	100	35	22	80	0.024
001-7030	Jantzen Alumen Z-Cap 2,70µF 100VDC 5% PPT dia-26 / 80mm. hor.	Pure aluminum foil	2.70	3%	100	35	26	80	0.027
001-7035	Jantzen Alumen Z-Cap 3,30µF 100VDC 5% PPT dia-26 / 96mm. hor.	Pure aluminum foil	3.30	3%	100	35	26	96	0.033
001-7037	Jantzen Alumen Z-Cap 3,90µF 100VDC 5% PPT dia-26 / 96mm. hor.	Pure aluminum foil	3.90	3%	100	35	26	96	0.033
001-7040	Jantzen Alumen Z-Cap 4,70µF 100VDC 5% PPT dia-26 / 96mm. hor.	Pure aluminum foil	4.70	3%	100	35	26	96	0.046
001-7045	Jantzen Alumen Z-Cap 5,60µF 100VDC 5% PPT dia-30 / 96mm. hor.	Pure aluminum foil	5.60	3%	100	35	30	96	0.055
001-7050	Jantzen Alumen Z-Cap 6,80µF 100VDC 5% PPT dia-31 / 105mm. hor.	Pure aluminum foil	6.80	3%	100	35	31	105	0.063
001-7055	Jantzen Alumen Z-Cap 8,20µF 100VDC 5% PPT dia-31mm / 105mm. hor.	Pure aluminum foil	8.20	3%	100	35	31	105	0.075
001-7060	Jantzen Alumen Z-Cap 10,00µF 100VDC 5% PPT dia-36 / 105mm. hor.	Pure aluminum foil	10.00	3%	100	35	36	105	0.075
001-7222	Amber Z-Cap Jantzen Copper Foil 1,00µF 200VDC 5% dia-15 / 86mm. hor.	Pure copper foil	1.00	5%	200	160	26	86	0.061
001-7224	Amber Z-Cap Jantzen Copper Foil 1,50µF 200VDC 5% dia-26 / 86mm. hor.	Pure copper foil	1.50	5%	200	160	26	86	0.076
001-7228	Amber Z-Cap Jantzen Copper Foil 2,20µF 200VDC 5% dia-30 / 86mm. hor.	Pure copper foil	2.20	5%	200	160	30	86	0.113
001-7230	Amber Z-Cap Jantzen Copper Foil 2,70µF 200VDC 5% dia-30 / 86mm. hor.	Pure copper foil	2.70	5%	200	160	30	86	0.128
001-7235	Amber Z-Cap Jantzen Copper Foil 3,30µF 200VDC 5% dia-30 / 86mm. hor.	Pure copper foil	3.30	5%	200	160	30	86	0.151
001-7237	Amber Z-Cap Jantzen Copper Foil 3,90µF 200VDC 5% dia-36 / 96mm. hor.	Pure copper foil	3.90	5%	200	160	36	96	0.191
001-7240	Amber Z-Cap Jantzen Copper Foil 4,70µF 200VDC 5% dia-51 / 96mm. hor.	Pure copper foil	4.70	5%	200	160	51	96	0.287
001-7243	Amber Z-Cap Jantzen Copper Foil 5,60µF 200VDC 5% dia-51 / 96mm. hor.	Pure copper foil	5.60	5%	200	160	51	96	0.316
001-7250	Amber Z-Cap Jantzen Copper Foil 6,80µF 200VDC 5% dia-62 / 96mm. hor.	Pure copper foil	6.80	5%	200	160	62	96	0.413
001-7253	Amber Z-Cap Jantzen Copper Foil 8,20µF 200VDC 5% dia-62 / 96mm. hor.	Pure copper foil	8.20	5%	200	160	62	96	0.463